



Camera	Model	AHD6572-NL4
	Image Sensor	1/2.8" SONY CMOS (IMX327)
	Video Output	AHD/TVI/CVI/CVBS
	Effective Pixels	2.0 Mega Pixels
	Sanning System	Progressive Scan
	Electronic Shutter Speed	1/25s~1/50,000s , 1/30s~1/60,000s
	Min. Illumination (day)	Color 0.001Lux@F1.0
	Min. Illumination (night)	B/W 0.0001 Lux@F1.0
	S/N Ratio	More than 50dB (AGC OFF)
	White LED Distance	-
	IR ON/OFF control	Auto
White Leds	-	
Lens	Lens Type	4mm
	Mount Type	Fixed
	Focal Length	no
	Max Aperture	F1.0
	Angle of View	85°
	Focus Control	no
Video	Resolution	1920*1080
	Frame Rate	25/30fps
	Video Output	BNC
	Day/Night	YES
	OSD Menu	YES
	BLC Mode	YES
	WDR	DWDR
	Gain Control	AGC
	Noise Reduction	3D
	White Balance	AUTO
Smart IR	NO	
Interface	Audio Interface	NO
Electrical	Power Supply	DC12V
	Power Consumption	DC12V±10%, 450mA
Construction	Operating conditions	-10℃ ~ +50℃ RH95% Max
	Storage conditions	20℃ ~ +60℃ RH95% Max
	Ingress Protection & Vandal	IP66
	Casing	Metal
	Gross Weight	500g